| Log Number | Jurisdiction | <b>Project Name</b>  | Agency   | Island | TMK   | Date       | Determation  |
|------------|--------------|--|--|--------|---|------------|--|
| 2016.00011 | 6E-42        | Archaeological Assessment<br>for the Oceanic Tme<br>Warner New CATV Conduit  |  | Oahu   | (1)2-6-002, 003, and 004                                  | 04/12/2016 | Final plan accepted.   |
| 2016.00018 | 6E-42        | Draft Archaeological<br>Monitoring Pln for the<br>Subdivision of Lot 22-A-3 of<br>the Waiohuli Keokea Beach<br>Lots  |  | Maui   | (2)3-9-011:062  | 01/28/2016 | Final plan accepted.   |
| 2016.00054 | Section 106  | Letter dated 1-11-16 fom<br>Dept. of Veteran Affairs,<br>National Cemetery<br>Administration re Maui<br>Veterans Cemetery<br>Expansion and<br>Improvements | Dept. of<br>Veterans<br>Affairs,<br>National<br>Cemetery<br>Administratio<br>n | Maui   | (2)2-4-002:007<br>portion and 009                         | 04/27/2016 | SHPD concurs no adverse effect and requests continued consultation. SEE LETTER FOR CONCERNS. |
| 2016.00058 | Section 106  | Renovate bathrooms and kitchen within Facility 566   | Marine Corps<br>Base Hawaii<br>1-8-2016  | Oahu   | (1)4-4-008:001  | 01/22/2016 | No adverse effect.   |
| 2016.00090 | 6E-42        | DRAFT Archaeological<br>Monitoring Report for the<br>Ahuimanu Force Main Pipe<br>Corrosion Repair Project  |  | Oahu   | (1)4-5-010:001 and<br>4-5-004:002<br>Waikalua Road<br>ROW | 04/25/2016 | Final plan accepted.   |
| 2016.00104 | 6E-42        | DRAFT Archaeological<br>Monitoring Report for the<br>Waimanalo District Park<br>Sewer Improvements<br>Project January 2016                                 |  | Oahu   | (1)4-1-009:264 and<br>Hihimanu Street                     | 03/11/2016 | Final plan accepted.   |
| 2016.00106 | 6E-8         | REVISED Archaeological<br>Assessment for Farrington<br>Highway Drainage<br>Improvments, vicinity of<br>Princess Kahanu Avenue                              | State of<br>Hawaii DOT<br>HWY-DH<br>2.1319                                     | Oahu   | (1)8-7-007:001 por.<br>and the Farrington<br>Hwy ROW      | 02/22/2016 | Final plan accepted.   |
| 2016.00110 | 6E-42        | Revisions: An AA for a 2.0 acre house site (Olinda, Maui)  |  | Maui   | (2)2-4-026:001 por.                                       | 01/27/2016 | Final plan accepted.   |
| 2016.00120 | 6E-42        | Archaeological Monitoring<br>Plan for the H-Power Solar<br>Building Project Job No.<br>2014055   |  | Oahu   | (1)9-1-026:033, 034,<br>035                               | 03/14/2016 | Final plan accepted.   |

| Log Number | Jurisdiction | <b>Project Name</b>   | Agency   | Island | TMK                     | Date       | Determation   |
|------------|--------------|---|--|--------|-------------------------|------------|---|
| 2016.00144 | Section 106  | REVISED Archaeological<br>Monitoring Plan for<br>Kawaihau Elevated<br>Boardwalk Bike and<br>Pedestrian Path, Fed.<br>Project No. STP-0700 (069)   |  | Kauai  | (4)4-6-014:030          | 01/29/2016 | Final plan accepted.  |
| 2016.00170 | Section 106  | Harden State Civil Defense<br>Warehouse Building 303<br>EDA Award No. 07-79-<br>06902 at Diamond Head<br>State Monument for the<br>interior construction of a<br>Business Recovery Center                       | SOH Dept of<br>Defense,<br>Hawaii<br>Emergency<br>Management<br>Agency | Oahu   | not listed              | 03/21/2016 | No adverse effect.  |
| 2016.00183 | Section 106  | Facilities Survey Report for Bldg 320 Improvements and Repairs  | USAG HI 1-<br>22-16  | Oahu   | (1)1-1-008:005          | 02/10/2016 | No adverse effect.  |
| 2016.00193 | 6E-42        | Letter dated 1-22-16 from<br>Carlsmith Ball LLP re:<br>Archaeological Assessment<br>for Kohala Coast Concrete<br>& Precast LLP inquiry on<br>status of revised draft report<br>submitted September 15,<br>2015. |  | Hawaii | (3)6-5-002:147 &<br>161 | 04/21/2016 | Final plan accepted.  |
| 2016.00199 | 6E-42        | A Preservation Plan for features of Site 50-50-06-3530 in Pauwela Ahupuaa   |  | Maui   | (2)2-7-012:086 por.     | 04/19/2016 | Final plan accepted.  |
| 2016.00201 | Section 106  | Update to the Proposed<br>Veerizon Wireless VZW<br>HON Puowaina<br>Communications Facility,<br>1441 Pali Highway  |  | Oahu   | (1)2-1-005:003          | 02/17/2016 | No adverse effect.  |
| 2016.00213 | Section 106  | FEMA-EMW-2015-SS-<br>00003 (21028) Homeland<br>Security Grant Program,<br>Fuel Management at Four<br>Honolulu Fire Stations   | FEMA 1-25-<br>16   | Oahu   | not listed              | 02/17/2016 | No historic properties will be affected. No adverse effect. |

| Log Number | Jurisdiction | Project Name  | Agency  | Island  | TMK   | Date       | Determation   |
|------------|--------------|---|---|---------|---|------------|---|
| 2016.00234 | Section 106  | Proposed Artillery Firing Points Project, South Range Acquisition Area, Schofield Barracks  | US Army<br>Garrison<br>Hawaii 28<br>Jan 16          | Oahu    | (1)9-2-05:002   | 02/26/2016 | SHPD concurs with no historic properties affected.            |
| 2016.00244 | Section 106  | Archival copy of the Historic<br>American Buildings Survey<br>for HABS HI-569 for<br>Outrigger Waikiki Surf<br>(Courtyard Marriott Waikiki<br>Beach), HON Ohana   | National Park<br>Service H38<br>(PW-CR) 1-<br>27-16 | Oahu    | (1)2-6-020:018  | 02/22/2016 | No adverse effect.  |
| 2016.00246 | 6E-42        | Archaeological Inventory Survey for On-and Off-Site Improvements associated with the proposed Pillani Promenade Project, and Updated Recommendations for Sites Identified in a 1994 Archaeological Inventory Survey |   | Maui    | (2)3-9-001:016, 169-<br>174 and 2-2-<br>002:016, 077 and<br>082, 3-9-001:148, 3-<br>9-048:122 | 02/09/2016 | Final plan accepted previously. Sending copy back to Library. |
| 2016.00251 | 6E-42        | Final AMP for renovation<br>and new construction at a<br>parcel in Olowalu Makai<br>Komohana Subdivision<br>(Golestani Residence)   |   | Maui    | (2)4-8-003:121  | 04/14/2016 | Final plan accepted.  |
| 2016.00252 | 6E-42        | Archaeological Monitoring<br>Plan for Makena Farm Lots<br>Subdivision   |   | Maui    | (2)2-1-007:067  | 02/03/2016 | Final plan accepted.  |
| 2016.00259 | 6E-42        | Draft Archaeological<br>Monitoring plan for<br>construction of a single<br>family residence   |   | Molokai | (2)5-4-007:009 por.   | 04/18/2016 | Final plan accepted.  |
| 2016.00266 | 6E-42        | Draft Archaeological<br>Monitoring report for the<br>Palani Avenue Drainage<br>Improvements Project   |   | Oahu    | (1)2-7-034: Date<br>Street ROW  | 03/31/2016 | Final plan accepted.  |
| 2016.00267 | 6E-42        | Draft Archaeological<br>Monitoring Report for the<br>Allure Waikiki Development<br>Project  |   | Oahu    | (1)2-6-013:001, 003, 004, 007-009, 011, and 012   | 03/31/2016 | Final plan accepted.  |

| Log Number | Jurisdiction | <b>Project Name</b>  | Agency   | Island | TMK  | Date       | Determation   |
|------------|--------------|--|--|--------|--|------------|---|
| 2016.00269 | 6E-42        | Draft Archaeological<br>Monitoring Report for the<br>BWS Water Main<br>Replacement Project at<br>Ward Avenue   |  | Oahu   | (1)2-1-040:001; 2-1-041:024, 026, 028; 2-1-042:018, 024; 2-1-044:001, 003, 005, 032, 033; 2-1-049:080; 2-3-003:001; 2-3-008:001, 002; 2-4-001:001; 2-4-014:021 and 024 | 03/29/2016 | Final plan accepted with revisions requested.                               |
| 2016.00274 | Section 106  | Repair water main along B<br>Street at MCBH  | Marine Corps<br>Base Hawaii<br>2-4-16                        | Oahu   | (1)4-4-008:001   | 02/08/2016 | SHPD concurs with no historic properties affected.                          |
| 2016.00275 | Section 106  | More information for<br>Improvements and Repairs<br>at Building 320 at Fort<br>Shafter   | US Army<br>Garrison<br>Hawaii                                | Oahu   | (1)1-1-008:005   | 03/04/2016 | No adverse effect.  |
| 2016.00297 | Section 106  | Literature Review and Field<br>Inspection: Proposed<br>Lahaina Front Street Small<br>Cell Network,   |  | Maui   | (2)4-5-001:999. 4-5-<br>002:999, 4-6-<br>008:086, 4-6-<br>001:999 and 4-6-<br>009:999 pors.  | 04/18/2016 | No historic properties will be affected. No adverse effect.                 |
| 2016.00330 | Section 106  | Renovation and repair at<br>Building 520 at Fort Shafter   | Department<br>of the Army,<br>Directorate of<br>Public Works | Oahu   | (1)1-1-008:005   | 03/09/2016 | SHPD concurs no adverse effect.   |
| 2016.00331 | Section 106  | HON Point Panic, Verizon Wireless proposes to install antennas at an elevation of 59 feet (85 foot overall structure height) just below the roofline on the exterior facade of the Hawaiian Childrens Discovery Center and install equipment and a generator on the adjacent ground space. 111 Ohe Street, Honolulu. |  | Oahu   | (1)2-1-060:017   | 03/10/2016 | No historic properties will be affected. No adverse effect with conditions. |

|            | Jurisdiction | Project Name   | Agency                                       | Island | TMK                             | Date       | Determation   |
|------------|--------------|--|--|--------|---------------------------------|------------|---|
| 2016.00341 | 6E-42        | DRAFT Archaeological<br>Monitoring Plan for the<br>Makaha West Irrigation<br>Wells System  |  | Oahu   | (1)8-4-002:055 por.             | 03/14/2016 | Final plan accepted.  |
| 2016.00344 | Section 106  | Installation of two emergency water fill points at Bulding 1580 at Schofield Barracks.   | US Army<br>Garrison<br>Hawaii Feb<br>8, 2016 | Oahu   | (1)7-6-001:008                  | 03/10/2016 | No adverse effect.  |
| 2016.00350 | Section 106  | USDA Housing Preservation Grant for Candido Ramos and Magdalena Ramos for health & safety dwelling deficiencies                      | USDA   | Hawaii | (3)1-6-149:011                  | 02/24/2016 | No historic properties will be affected. No adverse effect. |
| 2016.00351 | 6E-8         | Draft Archaeological<br>Monitoring Plan for the<br>installation of a new street<br>light on S. Kihei Road at<br>Kanani Road          | County of<br>Maui                            | Maui   | (2)3-9-017:999                  | 03/22/2016 | Final plan accepted.  |
| 2016.00358 | 6E-42        | Resubmittal Archaeological<br>Inventory Survey for the<br>803 Waimanu Street<br>Project  |  | Oahu   | (1)2-1-049:050, 070,<br>and 072 | 03/30/2016 | Final plan accepted.  |
| 2016.00367 | 6E-42        | REVISED DRAFT Archaeological Monitoring Report in support of the Kailua District Park Ball Field Lighting System Replacement Project |  | Oahu   | (1)4-3-056:009                  | 03/15/2016 | Final plan accepted.  |
| 2016.00376 | 6E-42        | Archaeological Monitoring<br>Report for the Moikeha<br>Cave Landscaping Project<br>Site 50-10-37-24264                               |  | Hawaii | (3)7-8-010:044                  | 03/14/2016 | Final plan accepted.  |
| 2016.00380 | 6E-8         | DRAFT AMP for the construction of a new residence FIORI at Sandhills Estate Subdivision  |  | Maui   | (2)3-8-089:102                  | 03/22/2016 | Final plan accepted.  |
| 2016.00393 | 6E-42        | Draft Revised AMP for<br>Hana Hotel Wastewater<br>Improvements at Hamoa<br>Mokae Beach Park  |  | Maui   | (2)1-4-010:000 pors.            | 03/23/2016 | Final plan accepted.  |

| Log Number | Jurisdiction            | <b>Project Name</b>  | Agency   | Island | TMK   | Date       | Determation                     |
|------------|-------------------------|--|--|--------|---|------------|---------------------------------|
| 2016.00395 | Section 106             | Construct boardwalk and install shower erosion controls along North Beach MCBH   | Marine Corps<br>Base Hawaii<br>Feb 18, 2016<br>LE/016-16             | Oahu   | (1)4-4-008:001  | 02/26/2016 | Concur. No adverse effect.      |
| 2016.00401 | 6E-42                   | DRAFT Addendum Archaeological Monitoring Plan for the Ward Village Shops Project, Sewer Line Lateral Installation                                |  | Oahu   | (1)2-3-005:013 por.   | 03/31/2016 | Final plan accepted.            |
| 2016.00410 | Section 106             | Letter of concurrence<br>Verizon Wireless H13 Olaa<br>Reserve Ensitte #25743   |  | Hawaii | not listed  | 02/24/2016 | No adverse effect.              |
| 2016.00418 | 6E-8 and<br>Section 106 | Draft Archaeological<br>Monitoring Plan for the Ka<br>Makana Alii Shopping<br>Center OR&L Crossing<br>Project                                    |  | Oahu   | (1)9-1-016:027, 031,<br>142, and Roosevelt<br>Avenue ROW              | 05/13/2016 | Final plan accepted.            |
| 2016.00450 | Section 106             | Consultation for drop zones<br>in the Keamuku Maneuver<br>Area, Pohakuloa Training<br>Area   | US Army<br>Garrison<br>Hawaii Feb<br>20, 2016                        | Hawaii | (3)7-8-001:041 por.,<br>042 por., 045 por.                            | 03/03/2016 | SHPD concurs no adverse effect. |
| 2016.00467 | 6E-42                   | Letter from Carlsmith Ball<br>LLP dated 2-25-16 re:<br>Archaeological Assessment<br>for Kohala Coast Concrete<br>& Precast LLC                   |  | Hawaii | (3)6-5-002:147 &<br>161   | 04/21/2016 | Final plan accepted.            |
| 2016.00473 | 6E-42                   | Archaeological Inventory<br>Survey for the Kauai<br>Community College Rezone<br>Campu Project  | Kauai<br>Community<br>College attn:<br>Dr. Helen<br>Cox              | Kauai  | (4)3-4-007:001, 002,<br>and 006                                       | 04/15/2016 | Final plan accepted.            |
| 2016.00478 | 6E-8 and<br>Section 106 | Request for review of<br>Archaeological Inventory<br>Survey Plan AISP<br>amendment Paia Relief<br>Route Project STP-036-<br>1(11) Alternative 3B | State of<br>Hawaii Dept<br>of<br>Transportatio<br>n HWY-PA<br>2.1718 | Maui   | (2)2-5-005:018 por.,<br>010 por., and 2-5-<br>006:016 and 017<br>por. | 03/22/2016 | Final plan accepted.            |

| Log Number | Jurisdiction | <b>Project Name</b>  | Agency   | Island | TMK  | Date       | Determation  |
|------------|--------------|--|--|--------|--|------------|--|
| 2016.00486 | Section 106  | Kalaeloa Energy Corridor   | Federal<br>Highway<br>Administratio<br>n HDA-HI 3-<br>1-16 | Oahu   | (1)9-1-013: 0332,<br>045, 088, 098, 101<br>and 9-1-016:006,<br>027 | 03/29/2016 | SHPD concurs no adverse effect.                                  |
| 2016.00515 | Section 106  | Specifications for ABMC Courts of Missing Stone Replacement PHASE 1 National Memorial Cemetery of the Pacific  | US Army<br>Corps of<br>Engineers                           | Oahu   | (1)2-2-005:002   | 03/18/2016 | No adverse effect.   |
| 2016.00529 | 6E-42        | DRAFT Archaeological<br>Monitoring Plan for the<br>Special Use Permit for the<br>Napili Point 1 AOAO SMX<br>2015-0465 and Napili Point<br>II SMX 2015-0472 Project |  | Maui   | (2)4-3-002:021 por.<br>and 4-3-002:043 por.                        | 04/18/2016 | Final plan accepted.   |
| 2016.00532 | Section 106  | Operational Range<br>Clearance of Former Aerial<br>Target at Marine Corps<br>Training Area Bellows   | Marine Corps<br>Base Hawaii<br>3-1-16                      | Oahu   | (1)4-1-015:001   | 03/29/2016 | SHPD concurs no adverse effect.                                  |
| 2016.00533 | Section 106  | Natural Resources Analysis<br>of Wetlands at MCBH  | Marine Corps<br>Base Hawaii<br>3-1-16<br>LE/019-16         | Oahu   | (1)4-4-008:001   | 03/29/2016 | SHPD concurs no adverse effect.                                  |
| 2016.00557 | Section 106  | Install window security<br>measure for Building 4 First<br>Deck Windows at Camp<br>Smith   | Marine Corps<br>Base Hawaii<br>3-7-16                      | Oahu   | (1)9-9-010:007   | 03/21/2016 | No adverse effect.   |
| 2016.00559 | 6E-42        | DRAFT Archaeological<br>Inventory Survey for 413<br>Seaside Avenue, Waikiki  |  | Oahu   | (1)2-6-021:056, 057,<br>062, 065                                   | 04/11/2016 | Final plan accepted.   |
| 2016.00573 | 6E-42        | Revised Archaeological<br>Monitoring Plan for<br>proposed Sudz Car Wash  |  | Kauai  | (4)4-5-004:003   | 03/14/2016 | Final plan accepted with the requested sections.                 |
| 2016.00583 | 6E-42        | Sale of Remnant<br>(Cancellation of reserved<br>easement) in Palolo Valley,<br>TMK (1)3-4-006:002 portion  | DLNR Land<br>Division 3-7-<br>16 Ref.No.<br>150D-207       | Oahu   | (1)3-4-006:002<br>portion  | 04/27/2016 | SHPD's revised determination is no historic properties affected. |

| Log Number | Jurisdiction | Project Name  | Agency   | Island | TMK                                 | Date       | Determation  |
|------------|--------------|---|--|--------|-------------------------------------|------------|--|
| 2016.00607 | 6E-42        | REVISED draft<br>archaeological monitoring<br>plan for the H-Power Solar<br>Building Project Job No.<br>2014055   |  | Oahu   | (1)9-1-026:033, 034,<br>035         | 03/14/2016 | Final plan accepted. SHPD reqeusts to be notified at start of archaeological monitoring. |
| 2016.00619 | Section 106  | Requesting consultation for<br>the proposed Hale Mahaolu<br>Ewalu Project   |  | Maui   | (2)2-3-066:019 and 020              | 03/18/2016 | Concurs with the APE and no adverse effect.  |
| 2016.00623 | Section 106  | HIARNG reply to SHPD<br>dated 3-11-16 re<br>Construction of a new<br>Combined Support<br>Maintenance Shop CSMS<br>at the Hawaii Army National<br>Guard, Keaukaha Mlitary<br>Reservation, Hilo, Hawaii | Hawaii Army<br>National<br>Guard March<br>11, 2016 | Hawaii | (3)2-1-013:010 and<br>2-1-012:003   | 05/06/2016 | No adverse effect.   |
| 2016.00628 | 6E-42        | Revised Draft Archaeological Monitoring Plan for the Solar Electric Installation at Ewa Beach Golf Club SCS Project 1843-AMP-2  |  | Oahu   | (1)9-1-001:006 por.<br>and 030 por. | 03/16/2016 | Final plan accepted. SHPD requests to be notified at start of archaeological monitoring. |
| 2016.00641 | 6E-42        | DRAFT Archaeological<br>Monitoring Plan for the<br>Reconstruction of the Hale<br>Pili Project, Hawaiian<br>Mission Houses Historic<br>Site and Archives, 553<br>South King Street, Honolulu           |  | Oahu   | (1)2-1-032:002 por.                 | 04/30/2016 | Final plan accepted.   |
| 2016.00655 | 6E-42        | Archaeological Monitoring<br>Plan for a 17,390 Square<br>Foot portion of land in<br>Paeahu Ahupuaa,<br>Makawao, Maui (Felder<br>Residence)  |  | Maui   | (2)2-1-010:012                      | 04/19/2016 | Final plan accepted.   |
| 2016.00659 | 6E-42        | Draft Archaeological<br>Monitoring Plan Pahoa<br>Elementary School<br>Electrical Upgrade Project,<br>DOE Job No. Q18001-13  |  | Hawaii | (3)1-5-114:025 and<br>026           | 03/18/2016 | Final plan accepted.   |

| Log Number | Jurisdiction             | <b>Project Name</b>   | Agency  | Island | TMK                              | Date       | Determation   |
|------------|--------------------------|---|---|--------|----------------------------------|------------|---|
| 2016.00667 | Section 106              | More information provided<br>for Construction of a new<br>Combined Support<br>Maintenance Shop CSMS<br>at the Hawaii Army National<br>Guard, Keaukaha Military<br>Reservation, Hilo, Hawaii | Hawaii Army<br>National<br>Guard March<br>11, 2016  | Hawaii | (3)2-1-013:010 & 2-<br>1-012:003 | 05/06/2016 | No adverse effect.  |
| 2016.00670 | 6E-42 and<br>Section 106 | Verizon Rocky Hill project<br>more info, HON Rocky Hill   |   | Oahu   | (1)2-8-022:002                   | 03/17/2016 | No adverse effect with conditions. See letter.  |
| 2016.00693 | 6E-42                    | Archaeological Monitoring<br>Plan for a residential parcel<br>at 50 Alahele Place in<br>Coastal Kihei, Kamaole<br>Ahupuaa (Desmond<br>Residence)  | County of<br>Maui                                   | Maui   | (2)3-9-003:048                   | 04/19/2016 | Final plan accepted.  |
| 2016.00696 | Section 106              | Repair of the failing surface<br>of the lighthouse, Molokai<br>Light Station  | National<br>Parks Service<br>email 3-21-16          |        | not listed                       | 03/31/2016 | SHPD concurs no adverse effect.   |
| 2016.00699 | 6E-42                    | Cultural Resources Review<br>and Field Inspection for the<br>Proposed Verizon Wireless<br>Palama Settlement<br>Telecommunications Facility  |   | Oahu   | (1)1-7-045:001 por.              | 03/23/2016 | No adverse effect with conditions. No historic properties affected with conditions. See letter. |
| 2016.00709 | Section 106              | Repair four inert<br>storehouses Facilities 708,<br>709, 711, and 712 MCBH  | Marine Corps<br>Base Hawaii<br>3-22-16              | Oahu   | (1)4-4-009:003                   | 04/12/2016 | No adverse effect.  |
| 2016.00726 | Section 106              | New letter for HONO<br>Wilson Tunnel 2 Ensite<br>23476 HONO Palolo  |   | Oahu   | not listed                       | 03/28/2016 | No adverse effect.  |
| 2016.00727 | Section 106              | HABS Melim Building for proposed Verizon Wireless HONO Downtown Communication Facility  |   | Oahu   | (1)2-1-026:014                   | 04/22/2016 | No historic properties will be affected. No adverse effect.                                     |
| 2016.00734 | Section 106              | Replace existing split AC units Bldg 201 MCB Hawaii   | Marine Corps<br>Base Hawaii<br>3-28-16<br>LE/030-16 | Oahu   | (1)4-4-009:003                   | 04/26/2016 | No adverse effect.  |

| Log Number | Jurisdiction       | <b>Project Name</b>  | Agency   | Island | TMK  | Date       | Determation          |
|------------|--------------------|--|--|--------|--|------------|----------------------|
| 2016.00735 | Section 106        | Replace existing split AC units Bldg 217 MCB Hawaii  | Marine Corps<br>Base Hawaii<br>LE/027-16<br>Mar28, 2016        | Oahu   | (1)4-4-009:003   | 04/26/2016 | No adverse effect.   |
| 2016.00736 | Section 106        | Replace Building 212 Roof<br>MCB Hawaii  | Marine Corps<br>Base Hawaii<br>LE/006-16<br>March 28,<br>2016  | Oahu   | (1)4-4-009:003   | 04/27/2016 | No adverse effect.   |
| 2016.00743 | Section 106        | Review and Concurrence<br>for proposed undertakings<br>to replace exterior door at<br>Building 11 and install<br>electrical subpanel and<br>receptacle at Building<br>39006, Kaena Point<br>Satellite Tracking Station | Department<br>of the Air<br>Force, 50th<br>Space Wing<br>AFSPC | Oahu   | (1)6-9-003:005   | 04/25/2016 | No adverse effect.   |
| 2016.00748 | 6E-8 and 6E-<br>42 | Archaeological Literature<br>Review for the Proposed<br>Kaanapali Beach<br>Restoration Project   | DLNR OCCL  | Maui   | (2)4-4-008:001, 002,<br>003, 004, 005, 019,<br>022; 4-4-013:001,<br>002, 006, 007, 008 | 03/31/2016 | Final plan accepted. |
| 2016.00752 | 6E-42              | REVISED DRAFT<br>Preservation Plan for Site<br>50-80-12-1725 in Kalaeloa,<br>Honouliuli, Ewa, Oahu   |  | Oahu   | (1)9-1-013:001   | 04/11/2016 | Final plan accepted. |
| 2016.00763 | Section 106        | Install GPS Antenna on<br>Building 5 aboard Camp<br>Smith  | Marine Corps<br>Base Hawaii<br>3-28-16<br>LE/039-16            | Oahu   | (1)9-9-010:007   | 04/22/2016 | No adverse effect.   |
| 2016.00764 | Section 106        | Replace existing split AC<br>unit Facility 504 aboard<br>MCBH  | Marine Corps<br>Base Hawaii<br>3-28-16<br>LE/028-16            | Oahu   | (1)4-4-009:003   | 04/26/2016 | No adverse effect.   |
| 2016.00768 | Section 106        | Renovation of Bldg. 621 at<br>the Hawaii Army National<br>Guard HIARNG Keaukaha<br>Military Reservation, Hilo  | Hawaii Army<br>National<br>Guard March<br>28, 2016             | Hawaii | (3)2-1-013:010 & 2-<br>1-012:003   | 04/21/2016 | No adverse effect.   |
| 2016.00772 | Section 106        | Installation of Solar Panels<br>at Quads C, E, and F at<br>Schofield Barracks  | US Army<br>Garrison<br>Hawaii Mar<br>29, 2016                  | Oahu   | (1)7-007:001   | 04/26/2016 | No adverse effect.   |

| Log Number | Jurisdiction | Project Name  | Agency   | Island | TMK                              | Date       | Determation   |
|------------|--------------|---|--|--------|----------------------------------|------------|---|
| 2016.00783 | 6E-42        | Archaeological Inventory<br>Survey of TMK (3)7-5-<br>004:024 for Katie Karras   |  | Hawaii | (3)7-5-004:024                   | 05/05/2016 | Final plan accepted.  |
| 2016.00789 | Section 106  | Replacement of an existing<br>wash rack at the Hawaii<br>Army National Guard<br>HIARNG Hanapepe Armory  | National<br>Guard March                              | Kauai  | (4)1-8-008:007 &<br>078          | 03/29/2016 | SHPD concurs no adverse effect.   |
| 2016.00802 | Section 106  | Reroof Buildings 25 and 76<br>at Kilauea Military Camp<br>KMC   | US Army<br>Garrison<br>Hawaii 4-1-16                 | Hawaii | not listed                       | 04/26/2016 | No adverse effect.  |
| 2016.00804 | 6E-42        | Art in Public Places Project:<br>Patsy Mink statue outside of<br>the Hawaii State Library.  |  | Oahu   | (1)2-1-025:001                   | 05/27/2016 | No adverse effect on the historic integrity of the District or the Hawaii State Library and its site. |
| 2016.00816 | 6E-42        | Archaeological Monitoring<br>Plan for the proposed Fire<br>System DCDA Water Line<br>Project at the Kahana<br>Manor, 4310 Lower<br>Honoapiilani Road, Lahaina     |  | Maui   | (2)4-3-010:011 por.              | 04/06/2016 | Final plan accepted.  |
| 2016.00835 | 6E-42        | FINAL AMP for improvements along Kamehameha Avenue in Kahului Town  |  | Maui   | (2)3-8-007:999 pors.             | 04/19/2016 | Final plan accepted.  |
| 2016.00840 | Section 106  | Repainting of Various<br>Buildings at Kilauea Military<br>Camp KMC  | US Army<br>Garrison<br>Hawaii 4-8-16                 | Hawaii | (3)9-9-001:001                   | 04/26/2016 | No adverse effect.  |
| 2016.00851 | Section 106  | Compliance regarding Main<br>Supply Route<br>Improvements in the<br>Keamuku Maneuver Area,<br>Pohakuloa Training Area   | US Army<br>Garrison<br>Hawaii<br>Pohakuloa<br>4-4-16 | Hawaii | (3)6-7-001:003, 045,<br>042 por. | 05/13/2016 | No adverse effect. More information requested and continued consultation.                             |
| 2016.00857 | 6E-42        | Archaeological Monitoring<br>Plan for Planned<br>Improvements to a portion<br>of a 10,510 square foot<br>parcel of land in Waiehu,<br>Maui (Habitat for Humanity) |  | Maui   | (2)3-3-001:019 por.              | 04/19/2016 | Final plan accepted.  |

| Log Number | Jurisdiction | <b>Project Name</b>  | Agency  | Island | TMK   | Date       | Determation                     |
|------------|--------------|--|---|--------|---|------------|---------------------------------|
| 2016.00858 | 6E-42        | Archaeological Monitoring<br>Plan for a construction<br>project on a 10,854 square<br>foot parcel, Wailuku, Maui<br>(Crockford Residence)                          |   | Maui   | (2)3-4-001:009  | 04/19/2016 | Final plan accepted.            |
| 2016.00861 | Section 106  | Effect Determination for<br>Rectangular Rapid Flashing<br>Beacon Crosswalk and<br>Sidewalk Improvements<br>Fed.Project No. SRS-<br>1500(086) Work Order No.<br>105 | Federal<br>Highway<br>Administratio<br>n HDA-HI 4-<br>11-16 | Kauai  | (4)4-3-003:999, 2-3-<br>014:999, 1-3-<br>003:999, 1-3-<br>008:999 | 04/15/2016 | SHPD concurs no adverse effect. |
| 2016.00863 | 6E-42        | OR & L Annex reroof and spall repair   |   | Oahu   | (1)1-5-007:001  | 04/25/2016 | No adverse effect.              |
| 2016.00865 | 6E-42        | Archaeological Monitoring<br>Report for the Maui<br>Countrywide Wastewater<br>Pump Station Renovations<br>Phase II Project Kihei 10<br>Wastewater Pump Station     |   | Maui   | (2)2-1-008:059 por.   | 04/19/2016 | Final plan accepted.            |
| 2016.00866 | Section 106  | Installation of new mooring<br>points; Wheeler Army<br>Airfield, National Historic<br>Landmark   | US Army<br>Garrison<br>Hawaii 4-8-16                        | Oahu   | (1)7-7-001:001  | 04/30/2016 | No adverse effect.              |
| 2016.00867 | 6E-42        | Kekuanaoa Building re-<br>roofing project and other<br>repairs. 465 South King<br>Street   |   | Oahu   | (1)2-1-025:003  | 04/19/2016 | No adverse effect.              |
| 2016.00868 | 6E-42        | Kamehameha V Post Office<br>repair rood, remove<br>skylight, & replace AC on<br>roof. DAGS Project No. 62-<br>10-0804, 44 Merchant<br>Street, Honolulu             |   | Oahu   | (1)2-1-002:012  | 04/25/2016 | No adverse effect.              |
| 2016.00874 | 6E-8         | Construction of Golf Cart<br>Crossing at Easement G-2<br>at the Joint Alignment of<br>Old Government Road<br>SIHP 10290 and Ala Loa<br>Trail SIHP 21664            |   | Hawaii | (3)8-1-033:021  | 05/17/2016 | Final plan accepted.            |

| Log Number | Jurisdiction | <b>Project Name</b>  | Agency                                    | Island | TMK                     | Date       | Determation   |
|------------|--------------|--|---|--------|-------------------------|------------|---|
| 2016.00914 | 6E-42        | Archaeological Monitoring<br>Plan for Water Meter<br>Installation at Unit 2,<br>Sprecklesville Beach<br>Condominium SCS 1855-2<br>AMP  |   | Maui   | (2)3-8-001:072 por.     | 04/18/2016 | Final plan accepted.  |
| 2016.00938 | 6E-42        | Letter from Carlsmith Ball<br>LLP dated 4-14-16 re:<br>Archaeological Assessment<br>for Kohala Coast Concrete<br>& Precast LLC   |   | Hawaii | (3)6-5-002:147 &<br>161 | 04/21/2016 | Final plan accepted.  |
| 2016.00943 | Section 106  | HONO Palolo Ensite 24448   |   | Oahu   | not listed              | 04/21/2016 | No historic properties will be affected. No adverse effect. |
| 2016.00969 | Section 106  | Preventative Maintenance<br>on Interior of Building 36 at<br>Kilauea Military Camp KMC   | US Army<br>Garrison<br>Hawaii 4-15-<br>16 | Hawaii | (3)9-9-001:001          | 05/13/2016 | No adverse effect.  |
| 2016.00987 | 6E-42        | REVISED Archaeological<br>Monitoring Plan for the<br>proposed construction of a<br>second dwelling, accessory<br>dwelling, and a driveway on<br>the parcel located in Ku'au<br>at 45 Lana Street,<br>Hamakuapoko, Maui |   | Maui   |                         | 04/27/2016 | Final plan accepted.  |
| 2016.00988 | 6E-42        | REVISED Archaeological<br>Monitoring Plan for the<br>proposed construction of a<br>swimming pool and spa on<br>a parcel located in Sandhills<br>Estates Subdivision at 11<br>Keoneloa Street, Wailuku                  |   | Maui   | (2)3-8-089:046          | 04/27/2016 | Final plan accepted.  |
| 2016.00997 | Section 106  | Rehabilitation of Second<br>Floor, Building 525 at Fort<br>Shafter   | US Army<br>Garrison<br>Hawaii 4-22-<br>16 | Oahu   | (1)1-1-008:005          | 05/24/2016 | No adverse effect.  |

| Log Number | Jurisdiction | <b>Project Name</b>   | Agency   | Island | TMK            | Date       | Determation                     |
|------------|--------------|---|--|--------|----------------|------------|---------------------------------|
| 2016.01004 | Section 106  | MCBH  | Marine Corps<br>Base Hawaii<br>LE/053-16 4-<br>20-16     | Oahu   | (1)4-4-009:003 | 05/09/2016 | No adverse effect.              |
| 2016.01005 | Section 106  | panels on non-historic<br>residences carports,<br>Hickam Field. | Navy Region<br>Hawaii 4-19-<br>16 Ser<br>N4/0510<br>5750 | Oahu   | not listed     | 05/19/2016 | No adverse effect.              |
| 2016.01055 | Section 106  | Water Tower, Hickam Field<br>Historic District                  | Navy Region<br>Hawaii 4-27-<br>16 Ser<br>N4/0518         | Oahu   | (1)9-9-001:013 | 05/19/2016 | SHPD concurs no adverse effect. |